



PLAN VIEW



SECTION VIEW

6x6 W4/W4 W.W.M

NOTES:

- * CONCRETE TO TEST 5,000 PSI @ 28 DAYS
 - * REINFORCING: AS SPECIFIED
 - * APPROXIMATE WEIGHT = 654 LBS

CONTRACTOR IS RESPONSIBLE FOR SEALING PIPES
PRECAST MANUFACTURING IS NOT RESPONSIBLE FOR WATER TIGHTNESS

PRECAST MANUFACTURING CO.

**187 STRYKER ROAD
PHILLIPSBURG, NJ 08865
WWW.PRECASTMEGCO.COM**

**PHONE: 908-454-2122
FAX: 908-454-0512**

**THIS DOCUMENT IS THE PROPERTY OF PRECAST MFG. CO. IT IS
CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY AND
SHALL NOT BE USED IN ANY WAY INJURIOUS TO THE INTERESTS OF,
OR WITHOUT THE WRITTEN PERMISSION OF PRECAST MFG. CO.**

18" x 18" x 18" KNOCKOUT CATCH BASIN

REVISION NO.:	DRAWN: PMC	SALES: PMC	DRAWING NUMBER
REV. DATE:	DATE:12/16/2025		CB181818KO

CB181818KO